

## Document Log Item

| Addressing  |   |
|---|---|
| <b>From</b>   | <b>To</b>   |
| Carmen Santos/R9/USEPA/US   | "Conlan, Linda" <Linda.Conlan@amec.com> "Conlan, Linda" <Linda.Conlan@amec.com> |
| <b>CC</b>   | <b>BCC</b>  |
| <b>Description</b> <span>Form Used: Reply</span>  |   |
| <b>Subject</b>  | <b>Date/Time</b>  |
| RE: Extension Request - PCBs: Former Pechiney Cast Plate Inc Facility - USEPA Conditional Approval - PCB Cleanup Plan Certification | 07/19/2010 03:26 PM   |
| <b># of Attachments</b>   | <b>Total Bytes</b>  |
| 0   | 10,988  |
| <b>NPM</b>  | <b>Contributor</b>  |
|   |   |
| <b>Processing</b>   |   |
| <b>Comments</b>   |   |
|   |   |
|   |   |

Body

### Document Body

Greetings, Linda:

Not to worry. Patrick is scheduled back in the office on July 20. I will talk with him and get possible days for a conference call with you and your risk assessor.

Regards,  
Carmen

Carmen D. Santos, Project Manager  
RCRA Corrective Action Office  
Waste Management Division

USEPA Region 9  
415.972.3360  
fax: 415.947.3533

"Conlan, Linda" ---07/19/2010 02:59:18 PM---Thank you Carmen. Documents are in progress.  
Were you able to talk to Patrick regarding his availab

From: "Conlan, Linda" <Linda.Conlan@amec.com>  
To: Carmen Santos/R9/USEPA/US@EPA  
Date: 07/19/2010 02:59 PM  
Subject: RE: Extension Request - PCBs: Former Pechiney Cast Plate Inc Facility - USEPA Conditional Approval - PCB Cleanup Plan Certification

---

Thank you Carmen. Documents are in progress.

Were you able to talk to Patrick regarding his availability early this week to conduct a follow-up call to discuss the PCB congener testing and risk evaluation outline in the conditional approval?

Regards,

**Linda Conlan, PG | Senior II Geologist**  
**AMEC Geomatrix, Inc.**

**From:** Santos.Carmen@epamail.epa.gov [mailto:Santos.Carmen@epamail.epa.gov]

**Sent:** Monday, July 19, 2010 2:43 PM

**To:** Conlan, Linda

**Subject:** Re: Extension Request - PCBs: Former Pechiney Cast Plate Inc Facility - USEPA Conditional Approval - PCB Cleanup Plan Certification

Hello, Linda:

Please continue working on your documents. I will get back to you soon on Pechiney's request to extend the deadline to submit the sampling plan and responses to HQs comments.

Thank you and have a nice day.

Regards,

Carmen

Carmen D. Santos, Project Manager  
RCRA Corrective Action Office  
Waste Management Division  
USEPA Region 9  
415.972.3360  
fax: 415.947.3533

From: "Conlan, Linda" <Linda.Conlan@amec.com>

To: Carmen Santos/R9/USEPA/US@EPA

Date: 07/16/2010 05:24 PM

Subject: Extension Request - PCBs: Former Pechiney Cast Plate Inc Facility - USEPA Conditional Approval - PCB Cleanup Plan Certification

Carmen;

As discussed this afternoon, please find attached our extension request related to Sections C2 and C4 of the conditional approval. Please call me if you have any questions or need any additional information.

Thank you,

**Linda Conlan, PG | Senior II Geologist  
AMEC Geomatrix, Inc.**

510 Superior Avenue, Suite 200  
Newport Beach, CA 92663

**Main:** 949.642.0245 | **Direct:** 949.574.7083 | **Cell:** 949.355.3631 | **Fax:** 949.642.4474  
**E-mail:** [linda.conlan@amec.com](mailto:linda.conlan@amec.com)

NOTICE: The information contained in (and attached to) this e-mail is intended only for the personal and confidential use of the designated recipient(s) named above. This message may be a consultant/client, attorney/client or attorney work product communication and as such is privileged and confidential. If the reader of this message is not the intended recipient, you are hereby notified that you have received this document in error and that any review, dissemination, distribution or copying of this message is strictly prohibited. If you received this communication in error, please notify us immediately by reply e-mail, and delete the original message (including attachments).

The information contained in this e-mail is intended only for the individual or entity to whom it is addressed.

Its contents (including any attachments) may contain confidential and/or privileged information.

If you are not an intended recipient you must not use, disclose, disseminate, copy or print its contents.

If you receive this e-mail in error, please notify the sender by reply e-mail and delete and destroy the message.[attachment

"Pechiney Extension\_USEPA\_071610.pdf" deleted by Carmen Santos/R9/USEPA/US]

The information contained in this e-mail is intended only for the individual or entity to whom it is addressed.  
Its contents (including any attachments) may contain confidential and/or privileged information.  
If you are not an intended recipient you must not use, disclose, disseminate, copy or print its contents.  
If you receive this e-mail in error, please notify the sender by reply e-mail and delete and destroy the message.